



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((((memory<or>ram)<near/2>(array<or>cells))<phrase>ecc)<in>metadata)"

☒ e-mail

Your search matched 15 of 1351636 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **An on-chip double-bit error-correcting code for three-dimensional dynam access memory**
Mazumder, P.;
[Test Conference, 1988. Proceedings. 'New Frontiers in Testing'. International 12-14 Sept. 1988 Page\(s\):279 - 288](#)
Digital Object Identifier 10.1109/TEST.1988.207812
[AbstractPlus](#) | Full Text: [PDF\(800 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Design of a fault-tolerant three-dimensional dynamic random-access mer chip error-correcting circuit**
Mazumder, P.;
[Computers, IEEE Transactions on Volume 42, Issue 12, Dec. 1993 Page\(s\):1453 - 1468](#)
Digital Object Identifier 10.1109/12.260635
[AbstractPlus](#) | Full Text: [PDF\(1200 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Pattern sensitive fault testing of RAMs with built-in ECC**
Franklin, M.; Saluja, K.K.;
[Fault-Tolerant Computing, 1991. FTCS-21. Digest of Papers., Twenty-First Inte Symposium 25-27 June 1991 Page\(s\):385 - 392](#)
Digital Object Identifier 10.1109/FTCS.1991.146690
[AbstractPlus](#) | Full Text: [PDF\(668 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **An error control code scheme for multilevel Flash memories**
Gregori, S.; Khouri, O.; Micheloni, R.; Torelli, G.;
[Memory Technology, Design and Testing, IEEE International Workshop on, 20 6-7 Aug. 2001 Page\(s\):45 - 49](#)
Digital Object Identifier 10.1109/MTDT.2001.945227
[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **120-ns 128 K*8-bit/64 K*16-bit CMOS EEPROMs**
Terada, Y.; Kobayashi, K.; Nakayama, T.; Hayashikoshi, M.; Miyawaki, Y.; Ajik Matsukawa, T.; Yoshihara, T.;

Solid-State Circuits, IEEE Journal of
Volume 24, Issue 5, Oct 1989 Page(s):1244 - 1249
Digital Object Identifier 10.1109/JSSC.1989.572588
[AbstractPlus](#) | Full Text: [PDF\(780 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 6. **120 ns 128 k×8 b/64 k×16 b CMOS EEPROMs**
Terada, Y.; Kobayashi, K.; Nakayama, T.; Hayashikoshi, M.; Miyawaki, Y.; Ajik
Matsukawa, T.; Yoshihara, T.;
Solid-State Circuits Conference, 1989. Digest of Technical Papers. 36th ISSC(
International
15-17 Feb. 1989 Page(s):136 - 137, 315
Digital Object Identifier 10.1109/ISSCC.1989.48210
[AbstractPlus](#) | Full Text: [PDF\(220 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 7. **Do we need anything more than single bit error correction (ECC)?**
Spica, M.; Mak, T.M.;
Memory Technology, Design and Testing, 2004. Records of the 2004 Internati
9-10 Aug. 2004 Page(s):111 - 116
Digital Object Identifier 10.1109/MTDT.2004.1327993
[AbstractPlus](#) | Full Text: [PDF\(240 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 8. **A compact on-chip ECC for low cost flash memories**
Tanzawa, T.; Tanaka, T.; Takeuchi, K.; Shiota, R.; Aritome, S.; Watanabe, H.;
Shimizu, K.; Sato, S.; Takeuchi, Y.; Ohuchi, K.;
Solid-State Circuits, IEEE Journal of
Volume 32, Issue 5, May 1997 Page(s):662 - 669
Digital Object Identifier 10.1109/4.568829
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(188 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 9. **A sub-0.5-V operating embedded SRAM featuring a multi-bit-error-immun
scheme**
Suzuki, T.; Yamagami, Y.; Hatanaka, I.; Shibayama, A.; Akamatsu, H.; Yamau
Solid-State Circuits, IEEE Journal of
Volume 41, Issue 1, Jan. 2006 Page(s):152 - 160
Digital Object Identifier 10.1109/JSSC.2005.859029
[AbstractPlus](#) | Full Text: [PDF\(968 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☒ 10. **A 4-Mbit DRAM with 16-bit concurrent ECC**
Yamada, T.; Kotani, H.; Matsushima, J.; Inoue, M.;
Solid-State Circuits, IEEE Journal of
Volume 23, Issue 1, Feb. 1988 Page(s):20 - 26
Digital Object Identifier 10.1109/4.251
[AbstractPlus](#) | Full Text: [PDF\(548 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 11. **Adding error-correcting circuitry to ASIC memory**
Gray, K.;
Spectrum, IEEE
Volume 37, Issue 4, April 2000 Page(s):55 - 60
Digital Object Identifier 10.1109/6.833029
[AbstractPlus](#) | Full Text: [PDF\(520 KB\)](#) IEEE JNL
[Rights and Permissions](#)

12. **A submicron 1 Mbit dynamic RAM with a 4-bit-at-a-time built-in ECC circui**

- ☐ Yamada, J.; Mano, T.; Inoue, J.; Nakajima, S.; Matsuda, T.;
Solid-State Circuits, IEEE Journal of
Volume 19, Issue 5, Oct 1984 Page(s):627 - 633
[AbstractPlus](#) | Full Text: [PDF](#)(1144 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 13. **A 5 V only one-transistor 256 K EEPROM with page-mode erase**
Nakayama, T.; Miyawaki, Y.; Kobayashi, K.; Terada, Y.; Arima, H.; Matsukawa
T.;
Solid-State Circuits, IEEE Journal of
Volume 24, Issue 4, Aug. 1989 Page(s):911 - 915
Digital Object Identifier 10.1109/4.34070
[AbstractPlus](#) | Full Text: [PDF](#)(404 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 14. **Cosmic-ray multi-error immunity for SRAM, based on analysis of the par
effect**
Osada, K.; Yamaguchi, K.; Saitoh, Y.; Kawahara, T.;
VLSI Circuits, 2003. Digest of Technical Papers. 2003 Symposium on
12-14 June 2003 Page(s):255 - 258
[AbstractPlus](#) | Full Text: [PDF](#)(354 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 15. **SRAM immunity to cosmic-ray-induced multierrors based on analysis of
parasitic bipolar effect**
Osada, K.; Yamaguchi, K.; Saitoh, Y.; Kawahara, T.;
Solid-State Circuits, IEEE Journal of
Volume 39, Issue 5, May 2004 Page(s):827 - 833
Digital Object Identifier 10.1109/JSSC.2004.826321
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(448 KB) IEEE JNL
[Rights and Permissions](#)



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((ram<or>dram)<and>(read<near/3>port)<and>(write<near/3>port)))<i>..."



Your search matched 4 of 1351636 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **A flexible multiport RAM compiler for data path**
Shinohara, H.; Matsumoto, N.; Fujimori, K.; Tsujihashi, Y.; Nakao, H.; Kato, S.; A.;
[Solid-State Circuits, IEEE Journal of](#)
Volume 26, Issue 3, Mar 1991 Page(s):343 - 349
Digital Object Identifier 10.1109/4.75013
[AbstractPlus](#) | Full Text: [PDF](#)(652 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Consequences of port restrictions on testing address decoder faults in tv memories**
Hamdioui, S.; van de Goor, A.J.;
[Test Symposium, 1998. ATS '98. Proceedings. Seventh Asian](#)
2-4 Dec. 1998 Page(s):340 - 347
Digital Object Identifier 10.1109/ATS.1998.741636
[AbstractPlus](#) | Full Text: [PDF](#)(248 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **A high performance memory compiler for multi-port RAMs**
Tsao, K.-P.; Zhu, N.; Pham, T.;
[ASIC Seminar and Exhibit, 1990. Proceedings., Third Annual IEEE](#)
17-21 Sept. 1990 Page(s):P3/6.1 - P3/6.4
Digital Object Identifier 10.1109/ASIC.1990.186109
[AbstractPlus](#) | Full Text: [PDF](#)(292 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **A 200 MHz internal/66 MHz external 64 kB embedded virtual three-port ca**
Braceras, G.; Frederick, T.; Hall, S.; Koch, G.; McDonald, R.; Purvee, R.; Ross
[Solid-State Circuits Conference, 1994. Digest of Technical Papers. 41st ISSCC](#)
International
16-18 Feb. 1994 Page(s):262 - 263
Digital Object Identifier 10.1109/ISSCC.1994.344648
[AbstractPlus](#) | Full Text: [PDF](#)(188 KB) IEEE CNF
[Rights and Permissions](#)